

# SCG CERAMIC ROOF TILE EXCELLA SERIES

NEW COLOR



OBSIDIAN GREY

## SCG CERAMIC ROOF TILE EXCELLA SERIES

Authentic ceramic roof tile with unique characteristics – smooth surface with vivid and long-lasting color. From meticulous design to the finest finish EXCELLA is created through the innovative manufacturing process with attention to detail.

- Dry Press Fast Firing Process from the high-pressure hydraulic machine causes to reduce the gap of each particle, which leads to smooth, dust-proof surface and attractive finish for the ceramic roof tile.
- The Roller Kiln firing conveyor belt ensures that heat is distributed evenly over the tiles preventing distortion and controlling the product standard as the leak proof tile.
- Firing at a temperature of 1,100 degree Celsius yields vivid and long-lasting color of genuine ceramic roof tile.

## OBSIDIAN GREY COLOR

Authentic ceramic roof tile with a new darkened shade to reflect the image of perfect elegance

### Excella Classic Series

The exquisite curved pattern is contemporary and elegant, which makes a timeless statement and the finest finishing touches





### Excella Grace Series

The unique and luxurious design offers a refined roof tile that is universally appealing and distinctive.


### Excella Modern Series

Eye-catching flat tiles, merged with their smoothness, result in a truly modern that reflects the admirable simplicity.




SCG CERAMIC ROOF TILE  
EXCELLA SERIES

OBSIDIAN GREY COLOR



Excella Classic Series

Size	: 33 x 42 cm./tile
Weight	: 3.5 kg./tile
Number of Tiles	: 9.4 - 10.4 tiles/sq.m.
Batten Space	: 32 - 34 cm.
Significant Pitch	: 17 - 45 degree



Excella Grace Series

Size	: 34.5 x 42 cm./tile
Weight	: 3.7 kg./tile
Number of Tiles	: 10.5 tiles/sq.m.
Batten Space	: 32.5 - 33.5 cm.
Significant Pitch	: 25 - 40 degree



Excella Modern Series

Size	: 33.5 x 42 cm./tile
Weight	: 3.8 kg./tile
Number of Tiles	: 10.5 tiles/sq.m.
Batten Space	: 32.5 - 33.5 cm.
Significant Pitch	: 25 - 45 degree

**i** Safety Instruction

1. Please study and follow the roof tiles (the “Products”) installation manual strictly before starting the Products installation to ensure safety and maximize yield.
2. Ceramic roof tiles and round ridge collection are designed for a pitched roof, which is lifted to a certain degree and not curved. Examples include gable roof, hip roof, and a mix between gable and hip roof. Please follow the “installation manual” for the significant pitch of each roof type.
3. Battens must be installed straightly on the same level with no more than 1.5 mm. variation.
4. Roof tile surface is slippery and steep. Do not unnecessarily climb the roof unless required and must be performed by a qualified technician.
5. To avoid falling from height, do not climb the roof while the ceramic roof tiles are wet or damp.
6. During working on the roof, personal protective equipment (PPE) for high rise work and standard movement supporting devices are highly required.
7. To avoid any operational accident, please strictly follow the company’s manual for roof tile transport and storage.
8. Do not use foam insulation under a ceramic roof since it may later impact the roof efficiency.
9. Please use caution while inspecting a construction site to avoid injury from sharp tile pieces.
10. Always wear a safety helmet during site inspection to avoid injury from falling tiles.
11. Always wear protective goggles while in a site to avoid eye irritation from tile cutting dust.

MHB-S-R11-C004-6104

- This product catalogue of SCG Roof Tile Excella Series Obsidian Grey Color is effective from 1<sup>st</sup> April 2018.
- Product catalogues are updated on a regular basis. Buyers/customers, designers, construction supervisors, and installers are responsible for using the latest catalogue. If you have any inquiries, please visit [www.scgbuildingmaterials.com](http://www.scgbuildingmaterials.com) or call SCG Contact Center at 02-586-2222.
- While designing or using the tiles, please be advised by a designer or specialist regarding shape and steepness of roof to avoid light reflectance impact on neighbors.
- The condition of product may change or there may be black stain depending on the weather and surrounding conditions in a specific area.
- Colors of the product images are for advertising purposes and may be different from the actual product color due to printing process. Please visit our stores before making a purchase.

All Content, design, and layout are Copyright © 2018, SCG Cement-Building Materials All Rights Reserved, Reproduction in whole or part in any form or medium without specific written permission is prohibited.



Available for purchase at SCG Authorized Dealers and leading construction material shops.  
SCG Contact Center 02-586-2222  
Email : [contact@scg.com](mailto:contact@scg.com), [www.scgbuildingmaterials.com](http://www.scgbuildingmaterials.com)